
















CATALOGUE

End Caps

PART NUMBER	MEASURES (mm)	DRAWING
OT 50 130 SS	5mmX13mm/16mm	
OT 50 170 SS	5mmx17mm/20mm	
OT 80 220 SS	8,1mmx22mm/24,5mm	
OT 82 275 SS	8,5mmx27,7mm/30mm	

OT 100 350 SS	10mmx35,5mm/39,6mm	
OT 100 380 SS	10,2mmx38mm/39,6mm	 SECTION A-A
OT 100 405 SS	10.2nnX40,5mm/46,5mm	
OT 100 450 SS	10mmx44,7mm/48,5mm	 SECTION A-A

OT 34-26-6000	10mmX26mm/34mm With precision bearing std 6000 (10X26X8)													
OT 30-26-6000	10mmX26mm/32mm With precision bearing std 6000 (10X26X8)													
OT EBH 50-45 OT EBH 50-47 OT EBH 50-48 OT EBH 60-54 OT EBH 60-57	<table border="1"><thead><tr><th>D</th><th>d</th></tr></thead><tbody><tr><td>49,5</td><td>45</td></tr><tr><td>49,5</td><td>47,3</td></tr><tr><td>50,3</td><td>48</td></tr><tr><td>59,5</td><td>54,3</td></tr><tr><td>59,5</td><td>57,3</td></tr></tbody></table> With precision bearing std 6003 (chrome or INOX) – Bore from 8 mm up to 15mm (Hexagon options 11mm or 12mm)	D	d	49,5	45	49,5	47,3	50,3	48	59,5	54,3	59,5	57,3	
D	d													
49,5	45													
49,5	47,3													
50,3	48													
59,5	54,3													
59,5	57,3													
OT SABU 40-37-10	10mmX37mm/39,7mm With assembled bearing spring unit													
OT SABU 50-45-10	10mmX45mm/49,5mm With assembled bearing spring unit													

OT SABU 50-47,5-10	10mmX47,5mm/49,5mm With assembled bearing spring unit	
OT RULLO 5X16X55	5mmX16mmX55mm	
OT 8 SW SS	ROLLER 8mmX48mmX24mm	